GBA Gesellschaft für Bioanalytik mbH · Goldtschmidtstr. 5 · 21073 Hamburg

GymBeam s.r.o.

Rastislavova 93
040 01 Kosice - mestská cast Juh
**Slovakia**

Contact person:
Rebecca Rugo
Phone +49 40 797172-435
r.rugo@gba-group.de

## Certificate of analysis 24034137 - 031

| | | |
|---|---|---|
| Sample name | : | Acetyl L-Carnitine - GymBeam 90 caps |
| Marking of sample | : | Batch-No: LC233807, Exp.: 06/26 |
| Customer No. | : | none |
| Packaging | : | Commercial package/bag |
| Sample amount | : | 5 x 67 g |
| Shipping of sample | : | Courier Service |
| Sample entry | : | 17.07.2024 |
| Entrance temperature | : | Room temperature |
| Sample taken | : | by sender |
| Begin/end of analysis | : | 17.07.2024 / 24.07.2024 |

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.



GBA Gesellschaft für Bioanalytik mbH
Goldtschmidtstr. 5, 21073 Hamburg
Telefon +49 (0)40 797172-0
Fax +49 (0)40 797172-27
E-Mail service@gba-group.de
www.gba-group.com

Sitz der Gesellschaft:
Hamburg
Handelsregister:
Hamburg HRB 42774
USt-Id.Nr. DE 118 554 138
St.-Nr. 47/723/00196

Geschäftsführer:
Ralf Murzen,
Ole Borchert,
Alexander Kleinke,
Dr. Dominik Obeloer

Certificate of analysis : 24034137 - 031
Sample name : Acetyl L-Carnitine - GymBeam 90 caps

## Test Results

| *Microbiological Test* | *Result* | *Unit* |
|---|---|---|
| Salmonella | negative | / 25 g |
| Coliforms | <10 | cfu/g |
| Yeasts / moulds | | |
| Moulds | <10 | cfu/g |

| *Chemical/Physical Test* | *Result* | *Unit* |
|---|---|---|
| Lead | <0,020 | mg/kg |
| Cadmium | <0,010 | mg/kg |
| Mercury | <0,010 | mg/kg |

Hamburg, 24.07.2024

_____

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

## Methods

| *Parameter* | *Method* |
|---|---|
| Salmonella | § 64 LFGB L 00.00-20: 2021-07[a]$_0$ |
| Coliforms | ISO 4832: 2006-02[a]$_0$ |
| Yeasts / moulds | BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11[a]; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11$_0$ |
| Lead | DIN EN 15763, ICP-MS: 2010-04[a]$_5$ |
| Cadmium | DIN EN 15763, ICP-MS: 2010-04[a]$_5$ |
| Mercury | DIN EN 15763, ICP-MS: 2010-04[a]$_5$ |

With [a] marked methods are accredited.
Testing laboratory: $_0$GBA Hamburg $_5$GBA Pinneberg

GBAGROUP

Certificate of analysis : 24034137 - 031
Sample name : Acetyl L-Carnitine - GymBeam 90 caps