

GymBeam s.r.o.

Mr. Sokoli

Rastislavova 93

040 01 Košice - mestská časť Juh

**Slovakia**Deutsche  
Akkreditierungsstelle  
D-PL-14170-01-00

Contact person:

Rebecca Rugo

Phone +49 40 797172-435

r.rugo@gba-group.de

**Certificate of analysis 24024362 - 036**

Sample name : Energy Powder-XBEAM 360 g - green apple

Marking of sample : Batch-Nr: LC218790, Exp.: 09/2024

Customer No. : none

Packaging : Tin

Sample amount : 1 x 360 g

Shipping of sample : Courier Service

Sample entry : 22.05.2024

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 22.05.2024 / 30.05.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 2

Certificate of analysis : 24024362 - 036

Sample name : Energy Powder-XBEAM 360 g - green apple

## Test Results

| <i>Microbiological Test</i> | <i>Result</i> | <i>Unit</i> |
|-----------------------------|---------------|-------------|
| E. coli                     | <10           | cfu/g       |
| Salmonella                  | negative      | / 25 g      |

| <i>Chemical/Physical Test</i> | <i>Result</i> | <i>Unit</i> | <i>Max. level</i> |
|-------------------------------|---------------|-------------|-------------------|
| Lead                          | 0,035         | mg/kg       | 3                 |
| Cadmium                       | <0,010        | mg/kg       | 1                 |
| Mercury                       | <0,010        | mg/kg       | 0,1               |

Maximum levels for food supplements according to VO (EU) 2023/915

### Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Hamburg, 30.05.2024

---

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

## Methods

| <i>Parameter</i> | <i>Method</i>                                                                                                                                       |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| E. coli          | Biomerieux, Rebecca-Agar AEB520020/AEB150022: 2020-09 <sup>a</sup> ; validated according to EN ISO 16140-2 against ISO 16649-2 2001-07 <sub>0</sub> |
| Salmonella       | § 64 LFGB L 00.00-20: 2021-07 <sup>a</sup> <sub>0</sub>                                                                                             |
| Lead             | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                             |
| Cadmium          | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                             |
| Mercury          | DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>                                                                                             |

With <sup>a</sup> marked methods are accredited.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg